

Original Date of Issue: February 2013 Page 1 of 4 Issue No.1

Material Safety Data Sheet

Procraft Acrylic Filler Primer

Non Hazardous according to criteria of Safe Work Aust

Section 1: IDENTIFICATION

Flexitex Products Pty Ltd ABN No: 20187 302 128

3/18 Superior Drive, Dandenong South Vic 3175

Ph. 0406 330 907

EMERGENCY CONTACT: Ken Mitchell Ph. 0408288601**PRODUCT NAME:** Procraft Acrylic Filler**UN No.:** None allocated**OTHER NAME:** Water Based filler**DANGEROUS GOODS CLASS:** Not Dangerous**MANUFACTURER'S PRODUCT CODE: SUB RISK:** None Allocated**PACKAGING GROUP:** None allocated**HAZCHEM:** 2W**METHOD OF APPLICATION:** Brush, roller or spray**POISONS SCHEDULE:** None Allocated**MAJOR USES:** Filler for rough surfaces

Section 2: HAZARDS IDENTIFICATION

Based on available information, not classified as hazardous according to criteria of NOHSC; NON-HAZARDOUS SUBSTANCE.

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

Poisons Schedule :None allocated.

Section 3:-COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENTS

CHEMICAL NAME

CAS NUMBER PROPORTION Risk Phrases

Water	(77323-18-5)	30—40% %	
Calcium Carbonate	(1317-65-3)	40-50%%	
Quartz (crystalline silica)	14808-60-7	5 -15%	R48/20 Carc.Cat1R49
Acrylic Polymer Proprietary		<20%	

Original Date of Issue: February 2013 Page 2 of 4 Issue No.1

Material Safety Data Sheet Procraft Acrylic Filler Primer

Non Hazardous according to criteria of Safe Work Aust

Section 4 : FIRST AID MEASURES

Swallowed

If swallowed drink 2 glasses of water and seek medical advice from a physician.

Eye

Flush eyes with copious quantities of water for at least 15 minutes. Seek medical attention.

Skin

Wash with soap and water and consult a physician if irritation persists.

Inhaled

Remove to fresh air. Apply air resuscitation if breathing is irregular or stopped. Seek medical attention.

First Aid Facilities

Eye wash and safety shower facilities should be available.

Advice to Doctor

Treat symptomatically

Section 5: Fire Fighting Measures

Hazards from combustion products: Not combustible, however following evaporation of the water component of the material, the residual material can burn if ignited. On burning will emit toxic fumes, including those of oxides of carbon.

Precautions for fire fighters and special protective equipment: Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.

Suitable Extinguishing Media: Not combustible, however, if material is involved in a fire use: Water fog (or if unavailable fine water spray), foam, dry agent (carbon dioxide, dry chemical powder).

Section 6: Accidental Release Measures

Emergency procedures: If contamination of sewers or waterways has occurred advise local emergency services.

Methods and materials for containment and clean up: Slippery when spilt. Avoid accidents, clean up immediately. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal.

Section 7: Handling and Storage

Conditions for safe storage: Store in a cool place out of direct sunlight. Keep containers closed when not in use. Check regularly for leaks.

Precautions for safe handling : Keep out of reach of children. Avoid eye contact or prolonged skin contact.

Original Date of Issue: February 2013 Page 3 of 4 Issue No.1

Material Safety Data Sheet

Procraft Acrylic Filler Primer

Non Hazardous according to criteria of Safe Work Aust

Section 8: Exposure Controls, Personal Protection

Exposure Standards

Threshold Limit Value not established for product.

Engineering Controls

Ensure adequate ventilation through the work place .

Personal Protection

Avoid eye and skin contact. Wear eye protection, gloves and overalls during use.

Section 9: Physical and Chemical Properties

APPEARANCE: White Liquid**PACK SIZE(S):** 20L,200L,1000L**BOILING POINT (°C):** 110 C**MELTING POINT (°C):** Not Applicable**VAPOUR PRESSURE (KILOPASCALS):****SPECIFIC GRAVITY @ 25 °C:** 1.39**SOLUBILITY IN WATER (% BY WT.):** Completely miscible**FLASH POINT (°3C)-METHOD:** non flammable**FLAMMABILITY LIMITS IN AIR (% VOLUME):** LOWER N/A UPPER N/A

Section 10: Stability and Reactivity

Chemical stability: Stable under normal conditions of use.**Conditions to avoid:** Avoid exposure to frost.**Incompatible materials:** Incompatible with oxidising agents.**Hazardous decomposition products:** Oxides of carbon.**Hazardous reactions:** None known.

Section 11: Toxicological Information

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion: No adverse effects expected, however large amounts may cause nausea and vomiting.**Eye contact:** May be an eye irritant.**Skin contact:** Contact with skin may result in irritation.**Inhalation:** Where this material is used in a poorly ventilated area, at elevated temperatures or in confined spaces, vapour may cause irritation to mucous membranes of the respiratory tract, headache and nausea.**Long Term Effects:** No information available for the product.**Toxicological Data:** No LD50 data available for the product. The components in the proportions present are not considered to present a hazard under conditions of good occupational work practice.

Original Date of Issue: February 2013 Page 4 of 4 Issue No.1

Material Safety Data Sheet Procraft Acrylic Filler Primer

Non Hazardous according to criteria of Safe Work Aust

Section 12: Ecological Information

Avoid contaminating drains and waterways.

Section 13: Disposal Considerations

Disposal methods: Refer to Waste Management Authority. Dispose of material through a licensed waste contractor.

Normally suitable for disposal at approved land waste site.

Section 14: Transport Information

Road and Rail Transport

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

Marine Transport

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

Air Transport

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

Section 15: Regulatory Information

Classification: Based on available information, not classified as hazardous according to criteria of NOHSC; NON-HAZARDOUS SUBSTANCE.

Poisons Schedule: None allocated

Section 16: Other Information

Reason(s) for Issue: Original Issue

This SDS summarizes to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Flexitex Products cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Flexitex Products representative or Flexitex Products contact below.

Contact Person: General Manager, Flexitex Products Pty Ltd Ph. 0406 330 907

NOTICE: THE INFORMATION HEREIN PRESENTED IS GIVEN IN GOOD FAITH, BUT SUBJECT TO THE TRADE PRACTICES ACT 1974, NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE.

END OF MSDS