

Original Date of Issue: September 2011 Page 1 of 4 Issue No.1

Material Safety Data Sheet

Maxi Metal Primer

Classified as non- hazardous according to criteria of NOHSC.

Section 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Flexitex Products Pty Ltd ABN No: 20187 302 128

3/18 Superior Drive, Dandenong South Vic 3175

Ph. 0406 330 907

EMERGENCY CONTACT: Ken Mitchell (Bus) 0398748913 (A/H) 0408288601

PRODUCT NAME: Maxi Metal Primer **UN No.:** None allocated

OTHER NAMES: Water Based Primer **DANGEROUS GOODS CLASS:** Not Dangerous

MANUFACTURER'S PRODUCT CODE: F220- 5381 **SUB RISK:** None Allocated

PACKAGING GROUP: 4 Litre, 20 Litre metal can **HAZCHEM:** None allocated

METHOD OF APPLICATION: Roller, brush, spray **POISONS SCHEDULE:** None allocated

RECOMMENDED USE: Anti corrosive metal primer

Section 2: HAZARDS IDENTIFICATION

Based on available information, not classified as hazardous according to criteria of Safe Work Australia; **NON HAZARDOUS SUBSTANCE.**

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; **NON-DANGEROUS GOODS.**

Poisons Schedule: None allocated

Section 3:-COMPOSITION/INFORMATION ON INGREDIENTS

NAME	CAS No.	%	Risk Phrases
Water	7732-18-5	30-60%	-
Synthetic Polymers		30-40 %	-
Pigments		10-20%	-
Other ingredients determined not to be hazardous		to 100%	-

Section 4 : FIRST AID MEASURES

Inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. If patient finds breathing difficult and develops a bluish discolouration of the skin (which suggests a lack of oxygen in the blood - cyanosis), ensure airways are clear of any obstruction and have a qualified person give oxygen through a face mask. Apply artificial respiration if patient is not breathing. Seek immediate medical advice.

Original Date of Issue: September 2011 Page 2 of 4 Issue No.1

Material Safety Data Sheet Maxi Metal Primer

Classified as non- hazardous according to criteria of NOHSC.

Inhalation Cont:

Skin Contact: If skin contact occurs, remove contaminated clothing and wash skin with running water. If irritation occurs seek medical advice.

Eye Contact: If in eyes, wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Ingestion: Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water. Seek immediate medical assistance.

Medical attention and special treatment: Treat symptomatically.

Section 5: Fire Fighting Measures

Hazards from combustion products:

Not combustible, however following evaporation of the water component of the material, the residual material can burn if ignited. On burning will emit toxic fumes.

Precautions for fire fighters and special protective equipment:

Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.

Suitable Extinguishing Media:

Not combustible, however, if material is involved in a fire use: Fine water spray, normal foam, dry agent (carbon dioxide, foam).

Section 6: Accidental Release Measures

Emergency procedures: If contamination of sewers or waterways has occurred advise local emergency services.

Methods and materials for containment and clean up: Shut off all possible sources of ignition. Clear area of all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact and breathing in vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal

Section 7: Handling and Storage

Conditions for safe storage: Store in a cool place out of direct sunlight. Keep containers closed when not in use. Check regularly for leaks.

Precautions for safe handling : Keep out of reach of children. Avoid eye contact or prolonged skin contact.

Original Date of Issue: September 2011 Page 3 of 4 Issue No.1

Material Safety Data Sheet Maxi Metal Primer

Classified as non- hazardous according to criteria of NOHSC.

Section 8: Exposure Controls, Personal Protection

Occupational Exposure Limits: No value assigned for this specific material by the National Occupational Health and Safety Commission.

Engineering controls:

Provide adequate ventilation. If using indoors, keep windows and doors open during use. Keep containers closed when not in use.

Personal Protective Equipment:

The selection of PPE is dependant on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

Section 9: Physical and Chemical Properties

Form: Viscous black liquid

Odour: Mild

Initial boiling point: approx. 100C

Density: approx. 1,13 g/cm³ White at 25C

Solubility in water: Completely miscible

Flash point: non flammable

Ignition temperature: Not available

Section 10: Stability and Reactivity

Chemical stability: Stable under recommended storage.

Conditions to Avoid: Avoid contact with foodstuffs.

Incompatible materials: Incompatible with oxidising agents.

Hazardous decomposition products: Hazardous decomposition products depend upon temperature, air supply and the presence of other materials.

Hazardous reactions: Will not occur by itself.

Section 11: Toxicological Information

No adverse effect is expected if handled in accordance with this safety Data Sheet. Symptoms or effects that may arise if the product is mishandled and over exposure occurs:-

Inhalation Harmful by inhalation. Irritating to respiratory system

Ingestion: Irritating to mouth, throat and stomach

Skin Contact: Irritating to skin. May cause sensitisation by skin contact.

Eye Contact: Irritating to eyes

Hazardous reactions: None known.

Original Date of Issue: September 2011 Page 4 of 4 Issue No.1

Material Safety Data Sheet Maxi Metal Primer

Classified as non- hazardous according to criteria of NOHSC.

Section 12: Ecological Information

Eco toxicity: Avoid contaminating waterways, drains, sewers or ground.

Section 13: Disposal Considerations

Dispose in accordance with applicable international, national and local laws, ordinances and statutes. For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used. After containers have been emptied as thoroughly as possible (e.g. by pouring, scraping or draining until "drip-dry"), they can be sent to an appropriate collection point set up within the framework of the existing take-back scheme of the chemical industry. Containers must be recycled in compliance with national legislation and environmental regulations.

Section 14: Transport Information

Road and Rail Transport

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

Marine Transport

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

Air Transport

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

Section 15: Regulatory Information

Classification: Based on available information, not classified as hazardous according to criteria of Work Safe Australia; NON-HAZARDOUS SUBSTANCE.

Poisons Schedule: None allocated.

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

Section 16: Other Information

END OF MSDS